Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	250/205.00	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 13:16
S2	0	250/205.00.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 13:16
S3	1550	250/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:47
S4	1431	S3 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 13:31
S5	155157	S4 and LED or (light adj emitting adj diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/10/20 13:37
S6	381	S4 and (LED or (light adj emitting adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:12
S7	109	S6 and wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:27
S8	7	S7 and deflect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:29

S9	44	S7 and (deflect or reflect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/10/20 14:29
S10	1550	250/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:31
S11	110	S10 and (intensity near measur\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:30
S12	97	S11 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/10/20 15:49
S13	240	S10 and (intensity near (monitor\$6 or control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:31
S14	210	S13 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:32
S15	189	(S13 and @pd<"20031219") not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:33
S16	1431	S10 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:32

S17	381	S16 and (LED or (light adj emitting adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:53
S18	952	S10 not (S12 or S13 or S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:33
S19	854	S18 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:33
S20	15	(intensity adj control) near wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:00
S21	2641	light adj intensity near control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:01
S22	1584	S21 and (LED\$2 or (light adj emitting adj diode\$2) or light adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:03
523	337	S22 and (photodiode\$2 or photo adj (diode\$2 or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:07
S24	. 0	S23 and wavelegth\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:06

S25	212	S23 and wavelength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:07
S26	133	S25 and (feedback or loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:08
S27	105	S26 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:08
S28	. 11	(("5747793") or ("6210346") or ("4356396") or ("5280173") or ("4924870") or ("5422478") or ("5089979") or ("4418392") or ("5249143") or ("5857777") or ("4858615")).PN.	USPAT	OR	OFF	2005/10/21 17:39
S29	0	(("0326309") or ("0528657")).PN.	DERWENT	OR	OFF	2005/10/21 17:40
S30	0	(("0326309") or ("0528657")).PN.	EPO	OR	OFF	2005/10/21 17:40
S31	. 4	(("0326309") or ("0528657")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 17:41
S32		pd19890208.pd.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:42
S33	4807	@pd="19890208"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:43
S34	712	@pd="19890208"	EPO	OR	ON	2005/10/21 17:44
S35	1	"326309".pn.	EPO	OR	ON	2005/10/21 17:45
S36	1	"528657".pn.	EPO	OR	ON	2005/10/21 17:46

S37	758	(LED\$2 or (light adj emitting adj diode\$2)) and intensity adj control\$4 and wavelength\$2 and reflect\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:31
S38	708	S37 and (photo-detector\$2 or photo-diode\$2 or photo detector\$2 or photo diode\$2 photosensor\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:33
S39	290	S38 and reflector\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:12
S40	186	S39 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:12
S41	505	(LED\$2 or (light adj emitting adj diode\$2)) and intensity adj control\$4 and wavelength\$2 and reflect\$5 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:31
S42	468	S41 and (photo-detector\$2 or photo-diode\$2 or photo detector\$2 or photo diode\$2 photosensor\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:33
S43	. 217	S42 and reflector\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:40
S44	135	S43 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:12
S45	0	"2003030808"	US-PGPUB	OR	ON	2005/10/24 12:12
S46	1	"20030030808"	US-PGPUB	OR	ON	2005/10/24 12:12

		**				
S47	1551	250/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:16
S48	1431	S47 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:16
S49	381	S48 and (LED or (light adj emitting adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:16
S50	1050	S48 not S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:59
S51	4	(("5504762") or ("6097748")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:03
S52	0	WO0199191	EPO; DERWENT	OR	ON	2005/10/25 12:05
S53	24	"0199191"	EPO; DERWENT	OR	ON	2005/10/25 12:16
S54	192	@pd="20011227"	EPO	OR	ON	2005/10/25 12:12
S55	0	WO-0199191-\$.did.	EPO; DERWENT	OR	ON	2005/10/25 12:17
S56	0	WO-199191-\$.did.	EPO; DERWENT	OR	ON	2005/10/25 12:17
S57	1	GB-2168838-\$.did.	EPO; DERWENT	OR	ON	2005/10/25 12:18
S58	1551	250/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:13

S59	1431	S58 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:13
S60	212	S59 and (LED or (light adj emitting adj diode))and side	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:38
S61	115	S59 and (LED or (light adj emitting adj diode)) and (side adj light adj transmission or emission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:18
S62	115	S59 and (LED or (light adj emitting adj diode)) and ((bi-directional or multi-directional) adj light adj transmission or emission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:42
S63	0	(LED or light adj emitting adj diode) and (chip or IC or integrated ciruit or package) and (bi-directional or multi-directional) near light adj transmission and (photo-detect\$4 or photo-sens\$4 or photo detect\$4 or photo sens\$4) and reflect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:52
S64	. 0	(LED or light adj emitting adj diode) and (chip or IC or integrated ciruit or package) and (bi-directional or multi-directional) near light adj transmission and (photo-detect\$4 or photo-sens\$4 or photo detect\$4 or photo sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:53
S65	5960	(LED or light adj emitting adj diode) and (chip or IC or integrated ciruit or package) and (bi-directional or multi-directional) near light and photo-detect\$4 or photo-sens\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:54
S66	3084	S65 and driv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:55

S67	1628	S66 and reflect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:55
S68	1551	S58 and @pd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:56
S69	1431	S58 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:56
S70	363	356/406.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:05
S71	347	S70 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:05
S72	0	("6649896").URPN.	USPAT	OR	ON	2005/10/26 11:10
S73	7	("4049963"   "4060426"   "5489771"   "5753903"   "5939704"   "6154282"   "6516013").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 11:11
S74	5	("4449821"   "4812641"   "5029245"   "5303037"   "5471052").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 11:14
S75	1551	250/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:18
S76	1431	S75 and @pd<"20031219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:18

S77	381	S76 and (LED or (light adj emitting adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:19
S78	1.	("5812710").PN.	USPAT	OR	OFF	2005/10/26 11:20
S79	6	("5050949"   "5225922"   "5392154"   "5541766"   "5600481"   "5636054").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 11:20
S80	3	("5127015"   "6011768"   "6111901").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 11:26
S81	381	S76 and (LED or (light adj emitting adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:37
S82	3	"5929999"	USPAT	OR	ON	2005/10/26 11:37
S83	7	("4678338"   "5137364"   "5157465"   "5272518"   "5671059"   "5747832"   "5753906").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 11:38
S84	507	(LED or (light adj emitting adj diode)) and (light adj rays) near (side or adjacent or angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:11
S85	355	S84 and @pd<"20031029"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:12